



Care Instructions

Acrylic Products

Thank-you for purchasing an Acritec acrylic product. We manufacture our bath fixtures using a high gloss acrylic sheet. This sheet, is durable, resists scuffs and stains, and is easy to maintain. With normal use, it will retain its original luster and require only minimal care.

Routine Care & Cleaning:

Please clean your bath or shower on a regular basis using a soft cloth and a smooth, mild liquid household detergent or a mild household dish soap and water. Rinse well with water and dry with a soft clean cloth.

Periodic deep cleaning using a specially formulated acrylic cleanser, such as Gel-Gloss, is recommended. This will help to thoroughly clean the surface and apply a protective coating. This is important for maintaining the luster of the finish.

Minor Surface Restoration:

If the surface dulls, gets scratched or scuffed, it is possible to restore the surface shine. Use a very fine automotive rubbing compound and polish the surface by hand. It is possible to use a low speed electric buffer with a polishing pad.

If more aggressive treatment is required to remove scratches, it is possible to wet sand the area using 800, then 1200 grit wet/dry sandpaper prior to polishing. An automotive wax may be applied to protect the finish however, use care not to wax any areas where people may stand. Wax can be extremely slippery.

Should the surface get scratched or gouged, or should the damage to the tub go through the acrylic finish and into the supporting fiberglass structure, we recommend contacting an Acrylic Repair specialist in your area.

Cautions

- Never use abrasive cleaners, powders, pads, or liquids that contain abrasives. Avoid products such as Magic Erasers and scouring pads as these are abrasive and will damage the acrylic.
- Do not use aromatic solvents (essential oils), strong liquid cleansers, bleach, isopropyl alcohols, nail polish, nail polish remover, Wintergreen oil, dry cleaning solution, lacquer thinners, gasoline, pine oil or cleaners that contain bleach.
- If a bathmat is used, remove immediately after each use to allow the surface to dry.

For more detailed information about your product please refer to the spec sheet which can be found online at www.acritec.com.

*The latest version of this document is available at:
www.acritec.com/care_instructions_acrylic_products.pdf*





Acritec Industries Corp.

27049 Gloucester Way
Langley, B.C. V4W 3Y3

Tel: 604.607.0856

Fax: 604.607.0857

Email: info@acritec.com

Website: www.acritec.com

April 30, 2019